

KEY

Day 7 - Curve Sketching

Objective: Use derivatives to sketch a graph

$y = 4x^3 - 3x - 1$ Zeros: $\begin{array}{r rrrr} 1 & 4 & 0 & -3 & -1 \\ & & 4 & 4 & 1 \\ \hline & 4 & 4 & 1 & 0 \\ & & 4 & -2 & -2 & 0 \end{array}$ $\begin{array}{r rrrr} -1/2 & 4 & 0 & -3 & -1 \\ & & -2 & -3 & -1 \\ \hline & 4 & -2 & -2 & 0 \end{array}$		$y' = 12x^2 - 3$ Critical Points: $12x^2 - 3 = 0$ $12x^2 = 3$ $x^2 = \frac{1}{4} \pm \frac{1}{2}$ $x = \pm \frac{1}{2}$	$y'' = 24x$ Possible POI: $24x = 0$ $x = 0$
Sign Chart for f' 	Sign chart for f'' 		
Maximums (ordered pair) $(-\frac{1}{2}, 0)$	Intervals of increasing $(-\infty, -\frac{1}{2})$ $(\frac{1}{2}, \infty)$		
Minimums (ordered pair) $(\frac{1}{2}, -2)$	Intervals of decreasing $(-\frac{1}{2}, \frac{1}{2})$		
POI (ordered pair) $(0, -1)$	Intervals of concavity CC \uparrow $(0, \infty)$ CC \downarrow $(-\infty, 0)$		

$$9x^2 - x^4 - 36 + 4x^2 = 4 - x^4 + 13x^2 - 36 = -1/4 x^4 + 13/4 x^2 - 9$$


$y = \frac{1}{4}(x^2 - 4)(9 - x^2)$ Zeros: $x = 2, -2, 3, -3$		$y' = -x^3 + \frac{13}{2}x$ Critical Points: $-x(x^2 - \frac{13}{2}) = 0$ $x = 0, x^2 = \frac{13}{2}$ $x = \pm \sqrt{\frac{13}{2}}$	$y'' = -3x^2 + \frac{13}{2}$ Possible POI: $-3x^2 = -\frac{13}{2} \Rightarrow x^2 = \frac{13}{6}$ $3x^2 = \frac{13}{2} \Rightarrow x = \pm \sqrt{\frac{13}{6}}$
Sign Chart for f' 	Sign chart for f'' 		
Maximums (ordered pair) $(-\sqrt{\frac{13}{2}}, \frac{25}{16})$ $(\sqrt{\frac{13}{2}}, \frac{25}{16})$	Intervals of increasing $(-\infty, -\sqrt{\frac{13}{2}})$ $(0, \sqrt{\frac{13}{2}})$		
Minimums (ordered pair) $(0, -9)$	Intervals of decreasing $(-\sqrt{\frac{13}{2}}, 0), (\sqrt{\frac{13}{2}}, \infty)$		
POI (ordered pair) $(-\sqrt{\frac{13}{6}}, \frac{41}{24})$ $(\sqrt{\frac{13}{6}}, \frac{41}{24})$	Intervals of concavity CC \uparrow $(-\sqrt{\frac{13}{6}}, \sqrt{\frac{13}{6}})$ CC \downarrow $(-\infty, -\sqrt{\frac{13}{6}}), (\sqrt{\frac{13}{6}}, \infty)$		

$y = x\sqrt{x+3}$ $x(x+3)^{1/2}$	$y' = \frac{3x+6}{2\sqrt{x+3}}$	$y'' = \frac{3(x+4)}{4(x+3)\sqrt{x+3}}$
Zeros: $x = 0, -3$	Critical Points: $x = -2$ $x = -3$	Possible POI: $x = -4$
Sign Chart for f' 	Sign chart for f'' 	
Maximums (ordered pair) none	Intervals of increasing $(-2, \infty)$	
Minimums (ordered pair) $(-2, -2)$	Intervals of decreasing $(-3, -2)$	
POI (ordered pair) none	Intervals of concavity CC $\uparrow (-3, \infty)$ CC \downarrow none	

1975 AB4/BC1

Given the function defined by $y = x + \sin x$ for all x such that $-\frac{\pi}{2} \leq x \leq \frac{3\pi}{2}$.

- Find the coordinates of all maximum and minimum points on the given interval. Justify your answers.
- Find the coordinates of all points of inflection on the given interval. Justify your answers.
- On the axes provided, sketch the graph of the function.



$$\frac{3(x+4)}{4(x+3)\sqrt{x+3}}$$

$$f'(x) = x \left(\frac{1}{2} (x+3)^{-1/2} \right) + \sqrt{x+3}$$

$$\frac{x}{2\sqrt{x+3}} + \sqrt{x+3} \left(\frac{2\sqrt{x+3}}{2\sqrt{x+3}} \right)$$

$$\frac{x}{2\sqrt{x+3}} + \frac{2(x+3)}{2\sqrt{x+3}}$$

$$\frac{3x+6}{2\sqrt{x+3}} \cdot 2(x+3)^{1/2}$$

$$f''(x) = \frac{(2\sqrt{x+3})(3) - (3x+6)(x+3)^{-1/2}}{(2\sqrt{x+3})^2}$$

$$= \left(\frac{6\sqrt{x+3} - \frac{3x+6}{\sqrt{x+3}}}{4(x+3)} \right) \frac{\sqrt{x+3}}{\sqrt{x+3}}$$

$$\frac{6x+18 - 3x-6}{4(x+3)\sqrt{x+3}} = \frac{3x+12}{4(x+3)\sqrt{x+3}}$$


R:

$$y = x + \sin x, \quad -\frac{\pi}{2} \leq x \leq \frac{3\pi}{2}$$

a) $y' = 1 + \cos x = 0$

$$\cos x = -1$$

$$x = \pi$$



Abs min: $(-\frac{\pi}{2}, -\frac{\pi}{2} - 1)$

Abs max: $(\frac{3\pi}{2}, \frac{3\pi}{2} - 1)$

X	y
$-\frac{\pi}{2}$	$-\frac{\pi}{2} + \sin(-\frac{\pi}{2})$ $= -\frac{\pi}{2} - 1$
$\frac{3\pi}{2}$	$\frac{3\pi}{2} + \sin(\frac{3\pi}{2})$ $= \frac{3\pi}{2} - 1$

b) $y'' = -\sin x = 0$

$$x = 0, \pi$$



POI: $(0, 0)$

(π, π)

c)

